

# OAI Metadata for Steel collection

## OAI Metadata for Steel collection

**Source data:** EAD file, [attached to infrastructure project page](#)

**Mapping notes:**

- Please keep track of all changes in the output MODS you make, and share this information with Mike Durbin so that he can ensure the in-development new Steel site can accommodate them.

### ✔ oai\_dc

metadataPrefix: oai\_dc

target namespace: [http://www.openarchives.org/OAI/2.0/oai\\_dc/](http://www.openarchives.org/OAI/2.0/oai_dc/)

schema location: [http://www.openarchives.org/OAI/2.0/oai\\_dc.xsd](http://www.openarchives.org/OAI/2.0/oai_dc.xsd)

method of generating: From MODS, run `generic mods2dc.xsl`

Previously used the legacy stylesheet generating DC from EAD [attached to infrastructure project page](#). Do not use this method in the future.

### ✔ QDC

metadataPrefix: qdc

target namespace: <http://epubs.cclrc.ac.uk/xmlns/qdc/>

schema location: <http://epubs.cclrc.ac.uk/xsd/qdc.xsd>

method of generating: From MODS, run `generic MODS2QDC stylesheet`

sample QDC record: [steel\\_qdc.xml](#)

### ✔ MODS 3.4

metadataPrefix: mods\_3.4

target namespace: <http://www.loc.gov/mods/v3>

schema location: <http://www.loc.gov/mods/v3/mods-3-4.xsd>

method of generating: From EAD, run `ead2mods_steelNEW.xsl`

- Parameters expected
  - `outputDir` (directory location to write output MODS files to)
- Support files needed
  - `digitizeditems.txt` (lists all items digitized from this collection)
  - `exceptions.txt` (list of IDs of items that require a different mapping; should be empty for this collection)
  - `blockeditems.txt` (lists IDs of digitized items for which we can expose metadata, but not the digitized object itself; should be empty for this collection)

Previously used the legacy stylesheet generating MODS from EAD [attached to infrastructure project page](#). do not use this method in the future.