

OAI Metadata for Steel collection

OAI Metadata for Steel collection

Source data: EAD file, [attached to infrastructure project page](#)

Mapping notes:

- Please keep track of all changes in the output MODS you make, and share this information with Mike Durbin so that he can ensure the in-development new Steel site can accommodate them.

✔ oai_dc

metadataPrefix: oai_dc

target namespace: http://www.openarchives.org/OAI/2.0/oai_dc/

schema location: http://www.openarchives.org/OAI/2.0/oai_dc.xsd

method of generating: From MODS, run generic [mods2dc.xsl](#)

Previously used the legacy stylesheet generating DC from EAD [attached to infrastructure project page](#). Do not use this method in the future.

✔ QDC

metadataPrefix: qdc

target namespace: <http://epubs.cclrc.ac.uk/xmlns/qdc/>

schema location: <http://epubs.cclrc.ac.uk/xsd/qdc.xsd>

method of generating: From MODS, run [generic MODS2QDC stylesheet](#)

sample QDC record: [steel_qdc.xml](#)

✔ MODS 3.4

metadataPrefix: mods_3.4

target namespace: <http://www.loc.gov/mods/v3>

schema location: <http://www.loc.gov/mods/v3/mods-3-4.xsd>

method of generating: From EAD, run [ead2mods_steelNEW.xsl](#)

- Parameters expected
 - outputDir (directory location to write output MODS files to)
- Support files needed
 - [digitizeditems.txt](#) (lists all items digitized from this collection)
 - exceptions.txt (list of IDs of items that require a different mapping; should be empty for this collection)
 - blockeditems.txt (lists IDs of digitized items for which we can expose metadata, but not the digitized object itself; should be empty for this collection)

Previously used the legacy stylesheet generating MODS from EAD [attached to infrastructure project page](#). do not use this method in the future.